

DESIGN PERFECTION IN SUPER- MATT.

XTREME PLUS

PLATINUM Top 1%

ecovadis

Sustainability Rating

MAR 2026

MADE IN GERMANY

MAKE
YOUR
VISIONS
WORK.
NATURALLY
SUSTAINABLE

DUROPAL

thermopal

PFLEIDERER




german
brand
award
'26
gold

CHEMICALS,
MATERIALS & SUPPLIES



GERMAN
DESIGN
AWARD
WINNER
2026

EXCELLENT
PRODUCT DESIGN



THE ULTIMATE DESIGN CHOICE FOR SUPERMATT: XTREME PLUS	4
Impressive looks	6
Fascinating touch	10
Lasting appeal	12
PRODUCT OVERVIEW	14
PRODUCT INFORMATION	
Duropol HPL XTreme plus	16
Duropol Element XTreme plus P2	18
Duropol Element XTreme plus P3	20
Duropol Element XTreme plus MDF plus	22
Duropol Worktop XTreme plus P2, square edged profile	24
NATURALLY SUSTAINABLE	26

THE ULTIMATE DESIGN CHOICE FOR SUPERMATT: XTREME PLUS

Creating luxurious interior design with matt surfaces has become a lot easier. The innovative XTreme plus surface combines a unique range of stylish decors with a fascinating supermatt finish that invites touch. For high-end furniture and fittings that fascinate the senses and leave a lasting impression. In addition to its outstanding design properties, XTreme plus also boasts one of a kind functional features: Its robustness, ease of cleaning and a smart anti-fingerprint effect ensure a look that remains attractive – even on horizontal surfaces and after prolonged intensive use.

FASCINATING TOUCH


LASTING APPEAL

IMPRESSIVE LOOKS

IMPRESSIVE LOOKS

MATT THAT GOES WITH EVERY GOOD IDEA

With a total of 24 plain decors available in the stock programme, XTreme plus always strikes the right note. The colour palette opens up a wide range of design options to showcase the fascinating matt look on furniture and kitchen surfaces in any desired style.



SIMPLY SET THE RIGHT TONE AND COMBINE CONVINCINGLY

The XTreme plus colour palette picks up on current interior trends and realises them consistently and with strong combinations. The elegant matt appearance gives the individual decors an almost tangible, spatial depth that invites you to experience the surface haptically.

**U11027
XPSM**
Icy White

**U11026
XPSM**
Crystal White

**U11102
XPSM**
Chalk

**U12188
XPSM**
Light Grey

**U12115
XPSM**
Platinum Grey

**U12290
XPSM**
Anthracite
Grey

**U12044
XPSM**
Dolphin Grey

**U12168
XPSM**
Cashmere

**U16001
XPSM**
Sand Greige

**U12986
XPSM**
Grey

**U12233
XPSM**
Metallic Black

**U12000
XPSM**
Volcanic Black

**U19024
XPSM**
Reed Green

**U19027
XPSM**
Herb

**U18501
XPSM**
Fjord

**U16068
XPSM**
Hazel

**U12257
XPSM**
Graphite

**U16058
XPSM**
Be rooted!

**U18042
XPSM**
Blue Shadow

**U18043
XPSM**
Poseidon

**U18004
XPSM**
Dark Blue

**U18074
XPSM**
Atlantic

**U19008
XPSM**
Labrador

**U18006
XPSM**
Skagerrak

FASCINATING TOUCH

LUXURIOUS HAPTICS THAT DEFY EXPECTATIONS

Enter a new dimension of interior concepts that is truly touching the senses. XTreme plus provides high-end haptics and a unique velvety look without any of the complications that used to go along with matt surfaces. For furniture and interior design, which captivates with its aesthetic appeal and integrates perfectly into high quality overall solutions.

LASTING APPEAL

FINALLY A MATT SURFACE THAT STAYS BEAUTIFUL WITHOUT EFFORT

The XTreme plus surface has been developed so that most stains can be easily removed. This ensures that matt design concepts always present themselves as real eye-catchers. In addition, a smart anti-fingerprint effect makes sure that hand perspiration does not leave any permanent marks, significantly reducing maintenance cost in highly-frequented premises. In addition, XTreme plus is more scratch-resistant and hard-wearing than comparable matt surfaces making it the perfect choice for horizontal, heavily used surfaces.

Cleaning is not necessary

HAND PERSPIRATION


Wipe and go: Most common stains can simply be removed with a dry microfibre cloth.



COOKING OIL



JUICE




COFFEE



BEETROOT

Remove butter with a microfibre cloth, then clean surface with a grease-dissolving all-purpose cleaner and another wipe with a microfibre cloth.



BUTTER

See easy cleaning in action:



PRODUCTS

For stylish, cross-trade concepts, XTreme plus is available in a broad product portfolio for a wide range of functional requirements in interior design, kitchen and furniture construction. It includes HPL, bonded elements on P2 and P3 as well as MDF plus core material and the Duropal Worktop XTreme plus P2, square edged profile.

**Duropol Element
XTreme plus P2**

**Duropol HPL
XTreme plus**

**Duropol Element
XTreme plus MDF plus**

**Duropol Worktop
XTreme plus P2,
square edged profile**

**Duropol Element
XTreme plus P3**



Duropol HPL XTreme plus



Decorative high-pressure laminate in standard quality in accordance with EN 438-3:HGS/VGS, with robust lacquered surface and sanded reverse. Duropol HPL XTreme plus is an attractive supermatt surface material with an anti-fingerprint effect, which is ideal for horizontal, heavily-used surfaces.

AREAS OF APPLICATION



Furniture and interior fitting



Doors

Attractive surface material, appropriate for surface and edge applications providing the high-performance features of the well-known Duropol HPL products. Duropol HPL XTreme plus is suitable for vertical applications as well as for horizontal, heavily-used contact surfaces.

PRODUCT FEATURES



Particularly low emission



Easy care



Anti-fingerprint



Antimicrobial



Food harmless



High scratch resistance

Product standard	In accordance with EN 438-3
Reaction to fire	Normally flammable Euroclass D-s2,d0 or worse in connection with normally and easily inflammable core boards. (EN 13501-1, CWFT conforming to 2003/593/EG)
Formaldehyde emission class	E1 E05
Antimicrobial effect	Surface with antimicrobial effect in 24 h for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196
Density	Min. 1,350 kg/m³ (EN ISO 1183-1)
Note	FSC certification or PEFC certification available on request.

FORMAT IN MM

Length	Width	Thickness
2,050–5,300	1,300	0.8
2,150	915	0.8
2,150	950	0.8
2,150	1,050	0.8
2,150	1,300	0.8
2,350	950	0.8
2,350	1,300	0.8
3,050	1,300	0.8
4,100	1,300	0.8
5,300	1,300	0.8






Duropol Element XTreme plus P2




HPL bonded board consisting of a particleboard type P2 conforming to EN 312, surfaced on both sides with Duropol HPLXTreme plus, an attractive supermatt surface material with an anti-fingerprint effect, which is ideal for horizontal, heavily used surfaces.

AREAS OF APPLICATION



Furniture production and interior design wherever high demands are made on quality and durability: For kitchen and interior design furniture, in shop fitting and partition wall construction, for interior fitting of banks, offices, schools, clinics, laboratories, retail buildings, in shipbuilding and motor vehicle construction.

PRODUCT FEATURES




Product standard	In accordance with EN 13894-2
Core material	ClassicBoard P2 Urea resin-bonded particleboard, type P2 conforming to EN 312, suitable for non load-bearing purposes in dry areas.
Reaction to fire	Normally flammable D-s2,d0 (EN 13501-1, CWFT conforming to 2003/593/EG): 3,050 x 1,300 x 19 mm, 4,100 x 1,300 x 16–25 mm
EC scope	EN 438-7:2005 HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)
Formaldehyde emission class	E1 E05 TSCA Title VI
Antimicrobial effect	Surface with antimicrobial effect in 24 h for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196
Note	FSC certification or PEFC certification available on request.

FORMAT IN MM

Length	Width	Thickness
3,050	1,300	19
4,100	1,300	9.6 16 17.6 19 20.6 25 29.6 39.6






Duropal Element XTreme plus P3




HPL bonded board consisting of a particleboard type P3 for damp areas, surfaced on both sides with Duropal HPL XTreme plus, an attractive supermatt surface material with an anti-fingerprint effect, which is ideal for horizontal, heavily used surfaces.

AREAS OF APPLICATION



Ideal for surfaces in furniture production and interior fitting where exceptional sturdiness and moisture resistance is required: For kitchen and bathroom furniture, elements in sanitary areas, in shop fitting and interior design construction, in clinics and laboratories plus work-places such as in the foodstuffs processing industry.

PRODUCT FEATURES



Product standard	In accordance with EN 13894-2
Core material	ClassicBoard P3 Melamine resin bonded particleboard type P3, suitable for non load-bearing purposes in damp areas.
Reaction to fire	Normally flammable D-s2,d0 (EN 13501-1, CWFT conforming to 2003/593/EG)
EC scope	EN 438-7:2005 HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)
Formaldehyde emission class	E1 E05
Antimicrobial effect	Surface with antimicrobial effect in 24 h for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196
Note	FSC certification or PEFC certification available on request.

FORMAT IN MM

Length	Width	Thickness
4,100	1,300	17.6 20.6





Duopal Element XTreme plus MDF plus



HPL bonded board consisting of a medium-density fibreboard (MDF) with uniform structure, surfaced on both sides with Duopal HPL XTreme plus, an attractive supermatt surface material with an anti-fingerprint effect, which is ideal for horizontal, heavily used surfaces.

AREAS OF APPLICATION



Decorative, sturdy elements for furniture and interior design where a uniform core material with very high edge quality – for profiling and lacquering – is required: e. g. in restaurants and shop fitting and for office and interior furniture.

PRODUCT FEATURES



Easy care



Anti-fingerprint



Antimicrobial



Food harmless



High scratch resistance

Product standard	In accordance with EN 13894-2
Core material	StyleBoard MDF plus Medium-density fibreboard (MDF), with a uniform structure.
Reaction to fire	Normally flammable D-s2,d0 (EN 13501-1, CWFT conforming to 2003/593/EG)
Formaldehyde emission class	E1 E05 TSCA Title VI
Antimicrobial effect	Surface with antimicrobial effect in 24 h for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196
Note	FSC certification or PEFC certification available on request.

FORMAT IN MM

Length	Width	Thickness
4,100	1,300	17.6 20.6






Duopal Worktop XTreme plus P2, square edged profile



Worktop consisting of a particleboard type P2 conforming to EN 312, decor side surfaced with Duopal HPL XTreme plus, underside with moisture-resistant backing. The longitudinal edges of the worktop are machined. It is also available as a variant with a protective edge on one longitudinal side. Duopal HPL XTreme plus is an attractive super-matt surface material with an anti-fingerprint effect, which is ideal for horizontal, heavily-used surfaces.

AREAS OF APPLICATION



Duopal Worktops can be used wherever very high demands are made on surface resistance and durability. Thanks to their hygienic advantages, the classic areas of application are in modern kitchens and bathrooms, canteens and restaurants as well as doctors’ surgeries, in laboratories and shop fitting, but also for industrial and commercial workplaces.

PRODUCT FEATURES



Product standard	In accordance with EN 13894-2
Core material	ClassicBoard P2 Urea resin-bonded particleboard, type P2 conforming to EN 312, suitable for non load-bearing purposes in dry areas.
Formaldehyde emission class	E1 E05 TSCA Title VI
Antimicrobial effect	Surface with antimicrobial effect in 24 h for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196
Note	You can find comprehensive accessories for our worktop range at www.pfleiderer.com . FSC certification or PEFC certification available on request.

FORMAT IN MM			DESIGN OF	
Length	Width	Thickness	front edge	rear edge
4,100	600 900 1,200	39	protective edge	milled
4,100	600 900 1,200	39	milled	milled
5,300	600 900 1,200	39	protective edge	milled
5,300	600 900 1,200	39	milled	milled



HIGHLIGHTS IN MATT NATURALLY SUSTAINABLE

Those who rely on wood as a raw material rightly expect an environmentally conscious “green” material. At Pfleiderer we want to do full justice, to this to commodity, therefore been offering an extensive range of low-emission and environmentally friendly products for many years. Sustainability – in addition to ecological, social and economic aspects – as well as the careful use of natural resources are permanent pillars of our corporate philosophy. Consistent circular economy and wood recycling at the highest technological level as well as independent evaluation of our procurement, production and logistics processes ensure that we optimally harmonise qualitative our ecological requirements ensuring that we offer our customers the best possible service, manufacturing and logistics processes as well as a corporate culture of accountability. We ensure that you can use our products with a clear conscience and recommend them to your customers.

Pfleiderer meets the challenge with traditional entrepreneurial care, to produce engineered wood of the highest quality. With an integrated management system for quality, environment, energy and safety, a value-based values-based corporate culture and independent certification along the entire along the entire value chain. With environmental management systems that certified in accordance with ISO EN 14001 and ISO 50001, certifications in accordance with FSC® (licence code: FSC® C011773) and PEFC (licence code: PEFC/04-32-0828) as well as As a member of the Wood-Based Panels Quality Association, we place great value transparency for our customers and partners.

MADE IN GERMANY



Get to know our sustainability strategy in more detail:
pfleiderer.com/sustainability

MAKE
YOUR
VISIONS
WORK.
NATURALLY
SUSTAINABLE



Order samples online at any time:
samples.pfleiderer.com

© Copyright 2026 Pfleiderer Deutschland GmbH.

This information is issued with great care. We do not however accept any responsibility for the accuracy, completeness and timeliness.

There may be slight colour differences between the printed brochure image and the actual design.

Due to the continuous development and modification of our products, possible changes to the relevant standards, laws and regulations, our technical data sheets and product documents expressly do not represent a legally binding guarantee of the properties specified therein. In particular, no suitability for a specific purpose can be derived from this information. It is therefore the personal responsibility of the individual user to check the processing and suitability of the products described in this document for the intended use and to take into account the legal framework and the current state of the art. Furthermore, we expressly refer to the validity of our general terms and conditions.

You can find our general terms and conditions on our webpage: **www.pfleiderer.com**



MADE IN GERMANY

Good to know: the Pfleiderer quality promise.

Pfleiderer wood-based panels stand for quality without compromise. We use sustainable raw materials and state-of-the-art production processes and we are fully committed to our site in Germany. For more information, visit **quality.pfleiderer.com**.

Pfleiderer UK Limited · Greenway House · Larkwood Way · Tytherington Business Park · Macclesfield · Cheshire SK10 2XR · England
Tel.: +44 (0) 16 25 660 410 · info-uk@pfleiderer.com · www.pfleiderer.com

Pfleiderer Deutschland GmbH · Ingolstädter Straße 51 · 92318 Neumarkt · Germany
Tel.: +49 (0) 91 81 / 28 480 · Fax: +49 (0) 91 81 / 28 482 · info@pfleiderer.com · www.pfleiderer.com