

# WIPE AND GO: SIMPLY CLEAN

NEW: DUROPAL HPL XTREME PLUS  
SUPER MATT AND UNIQUE EASY  
CARE




MADE IN GERMANY

MAKE  
YOUR  
VISIONS  
WORK.  
NATURALLY  
SUSTAINABLE

DUROPAL

thermopal

 PFLEIDERER



**XTREME PLUS:  
THE MATT SURFACE WITH ADDED VALUE 4**

|                 |    |
|-----------------|----|
| Easier to clean | 6  |
| More resilient  | 10 |
| More diverse    | 14 |

**PRODUCT OVERVIEW 18**

**PRODUCT INFORMATION**

|                                                        |    |
|--------------------------------------------------------|----|
| Duopal HPL XTreme plus                                 | 20 |
| Duopal Element XTreme plus P2                          | 22 |
| Duopal Element XTreme plus P3                          | 24 |
| Duopal Element XTreme plus MDF plus                    | 26 |
| Duopal Worktop XTreme plus P2,<br>square edged profile | 28 |

**NATURALLY SUSTAINABLE 30**



## **DUROPAL HPL XTREME PLUS: SO SUPERMATT SIMPLY STAYS BEAUTIFUL**

Now matt design concepts are coming into practice once and for all: The improved XTreme plus surface ensures that the fascinating supermatt finish is also uniquely easy to clean. This makes it the right choice for horizontal applications and also makes everyday soiling quick and easy to forget.

# **MORE VERSATILE**

# **LOADABLE**

# **EASIER TO CLEAN**



# EASIER TO CLEAN

## FINALLY A MATT SURFACE, ON WHICH STAINS ARE NOT AN ISSUE

The new XTreme plus surface has been developed so that most stains can be easily removed. This ensures that matt design concepts in matt always present themselves as real eye-catchers, even in everyday life.

WIPE AND GO  
FOR EVERYDAY STAINS

What seems complicated with many other products is quite simple with Duropal HPL XTreme plus: most common everyday stains can be easily removed – using cleaning agents that can be found in every household. And the smart anti-fingerprint effect ensures that hand perspiration does not leave any permanent marks.

Simply wipe with a dry microfibre cloth wipe

**JUICE**

**COFFEE**

**BEETROOT**

Simply wipe with a  
dry microfibre cloth wipe

**DISH OIL**

Remove the butter with a microfibre  
cloth and then clean with a grease-  
dissolving all-purpose cleaner and a  
microfibre cloth clean again


**BUTTER**

Thanks to the anti-fingerprint  
effect, hand perspiration  
cleaning is not necessary

**HAND  
WELDING**

**ORDER SAMPLE FREE  
OF CHARGE NOW!**

Find out more about the fascinating,  
easy-care XTreme plus surface on  
our website!



# LOADABLE

## SUPERMATT MEETS RESISTANT – FOR HIGHLIGHTS THAT LAST STAY BEAUTIFUL

XTreme plus is more scratch-resistant and hard-wearing than comparable matt surfaces. This makes it perfectly suited to maintaining the unique supermatt look and high quality feel even on horizontal, heavily used surfaces.

## STYLISH AND UP TO THE CHALLENGES OF EVERYDAY LIFE

When things get hectic, furniture can be subject to heavy wear and tear. Then it's good to know that the matt XTreme plus surface sets new standards in terms of robustness. It is less sensitive to external influences than other matt surfaces and can generally withstand everyday wear and tear.






# MORE VERSATILE

## MATT THAT SIMPLY GOES WITH EVERY GOOD IDEA

With a total of 24 plain decors available in the stock programme, Duropal HPL XTreme plus always strikes the right note. The colour palette opens up a wide range of design options to showcase the fascinating matt look on furniture and kitchen surfaces in any desired style.




# SIMPLY SET THE TONE AND COMBINE CONVINCINGLY

The Duropal HPL XTreme plus colour palette picks up on current interior trends and realises them consistently and with strong combinations. The elegant matt appearance gives the individual decors an almost tangible, spatial depth that invites you to experience the surface haptically.

|                                           |                                               |                                       |                                            |                                               |                                                 |                                              |                                          |                                             |                                      |                                                |                                                |                                            |                                      |                                       |                                       |                                          |                                            |                                             |                                          |                                           |                                          |                                          |                                           |
|-------------------------------------------|-----------------------------------------------|---------------------------------------|--------------------------------------------|-----------------------------------------------|-------------------------------------------------|----------------------------------------------|------------------------------------------|---------------------------------------------|--------------------------------------|------------------------------------------------|------------------------------------------------|--------------------------------------------|--------------------------------------|---------------------------------------|---------------------------------------|------------------------------------------|--------------------------------------------|---------------------------------------------|------------------------------------------|-------------------------------------------|------------------------------------------|------------------------------------------|-------------------------------------------|
| <b>U11027</b><br><b>XPSM</b><br>Icy White | <b>U11026</b><br><b>XPSM</b><br>Crystal White | <b>U11102</b><br><b>XPSM</b><br>Chalk | <b>U12188</b><br><b>XPSM</b><br>Light Grey | <b>U12115</b><br><b>XPSM</b><br>Platinum Grey | <b>U12290</b><br><b>XPSM</b><br>Anthracite Grey | <b>U12044</b><br><b>XPSM</b><br>Dolphin Grey | <b>U12168</b><br><b>XPSM</b><br>Cashmere | <b>U16001</b><br><b>XPSM</b><br>Sand Greige | <b>U12986</b><br><b>XPSM</b><br>Grey | <b>U12233</b><br><b>XPSM</b><br>Metallic Black | <b>U12000</b><br><b>XPSM</b><br>Volcanic Black | <b>U19024</b><br><b>XPSM</b><br>Reed Green | <b>U19027</b><br><b>XPSM</b><br>Herb | <b>U18501</b><br><b>XPSM</b><br>Fjord | <b>U16068</b><br><b>XPSM</b><br>Hazel | <b>U12257</b><br><b>XPSM</b><br>Graphite | <b>U16058</b><br><b>XPSM</b><br>Be rooted! | <b>U18042</b><br><b>XPSM</b><br>Blue Shadow | <b>U18043</b><br><b>XPSM</b><br>Poseidon | <b>U18004</b><br><b>XPSM</b><br>Dark Blue | <b>U18074</b><br><b>XPSM</b><br>Atlantic | <b>U19008</b><br><b>XPSM</b><br>Labrador | <b>U18006</b><br><b>XPSM</b><br>Skagerrak |
|-------------------------------------------|-----------------------------------------------|---------------------------------------|--------------------------------------------|-----------------------------------------------|-------------------------------------------------|----------------------------------------------|------------------------------------------|---------------------------------------------|--------------------------------------|------------------------------------------------|------------------------------------------------|--------------------------------------------|--------------------------------------|---------------------------------------|---------------------------------------|------------------------------------------|--------------------------------------------|---------------------------------------------|------------------------------------------|-------------------------------------------|------------------------------------------|------------------------------------------|-------------------------------------------|

# PRODUCTS

For stylish, cross-trade concepts, XTreme plus is available in a broad product portfolio for a wide range of functional requirements in kitchen and furniture construction and interior design. It includes HPL, composite elements on P2 and P3 substrates, composite elements on MDF substrates and the Duropal HPL Worktop XTreme plus P2, square edged.





# Duropol HPL XTreme plus



Decorative high-pressure laminate in standard quality in accordance with EN 438-3:HGS/VGS, with robust lacquered surface and sanded reverse. Duropol HPL XTreme plus is an attractive supermatt surface material with an anti-fingerprint effect, which is ideal for horizontal, heavily-used surfaces.

## AREAS OF APPLICATION



Furniture and interior fitting



Doors

Attractive surface material, appropriate for surface and edge applications providing the high-performance features of the well-known Duropol HPL products. Duropol HPL XTreme plus is suitable for vertical applications as well as for horizontal, heavily-used contact surfaces.

## PRODUCT FEATURES



Easy care



Anti-fingerprint



Antimicrobial



Food harmless



High scratch resistance



Particularly low emission

|                             |                                                                                                                                                               |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product standard            | In accordance with EN 438-3                                                                                                                                   |
| Reaction to fire            | Normally flammable<br>Euroclass D-s2,d0 or worse in connection with normally and easily inflammable core boards. (EN 13501-1, CWFT conforming to 2003/593/EG) |
| Formaldehyde emission class | E1 E05                                                                                                                                                        |
| Antimicrobial effect        | Surface with antimicrobial effect in 24 h for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196                                         |
| Density                     | Min. 1,350 kg/m³ (EN ISO 1183-1)                                                                                                                              |
| Note                        | FSC certification or PEFC certification available on request.                                                                                                 |

## FORMAT IN MM

| Length      | Width | Thickness |
|-------------|-------|-----------|
| 2,050–5,300 | 1,300 | 0.8       |
| 2,150       | 915   | 0.8       |
| 2,150       | 950   | 0.8       |
| 2,150       | 1,050 | 0.8       |
| 2,150       | 1,300 | 0.8       |
| 2,350       | 950   | 0.8       |
| 2,350       | 1,300 | 0.8       |
| 3,050       | 1,300 | 0.8       |
| 4,100       | 1,300 | 0.8       |
| 5,300       | 1,300 | 0.8       |






## Duropol Element XTreme plus P2




HPL bonded board consisting of a particleboard type P2 conforming to EN 312, surfaced on both sides with Duropol HPLXTreme plus, an attractive supermatt surface material with an anti-fingerprint effect, which is ideal for horizontal, heavily used surfaces.

### AREAS OF APPLICATION



Furniture production and interior design wherever high demands are made on quality and durability: For kitchen and interior design furniture, in shop fitting and partition wall construction, for interior fitting of banks, offices, schools, clinics, laboratories, retail buildings, in shipbuilding and motor vehicle construction.

### PRODUCT FEATURES



|                             |                                                                                                                                        |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Product standard            | In accordance with EN 13894-1                                                                                                          |
| Core material               | ClassicBoard P2<br>Urea resin-bonded particleboard, type P2 conforming to EN 312, suitable for non load-bearing purposes in dry areas. |
| Reaction to fire            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT conforming to 2003/593/EG): 3,050 x 1,300 x 19 mm, 4,100 x 1,300 x 16–25 mm            |
| EC scope                    | EN 438-7:2005<br>HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)                    |
| Formaldehyde emission class | E1 E05<br>TSCA Title VI                                                                                                                |
| Antimicrobial effect        | Surface with antimicrobial effect in 24 h for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196                  |
| Note                        | FSC certification or PEFC certification available on request.                                                                          |

### FORMAT IN MM

| Length | Width | Thickness                                      |
|--------|-------|------------------------------------------------|
| 3,050  | 1,300 | 19                                             |
| 4,100  | 1,300 | 9.6   16   17.6   19   20.6   25   29.6   39.6 |






## Duopal Element XTreme plus P3




HPL bonded board consisting of a particleboard type P3 for damp areas, surfaced on both sides with Duopal HPL XTreme plus, an attractive super-matt surface material with an anti-fingerprint effect, which is ideal for horizontal, heavily used surfaces.

### AREAS OF APPLICATION



Ideal for surfaces in furniture production and interior fitting where exceptional sturdiness and moisture resistance is required: For kitchen and bathroom furniture, elements in sanitary areas, in shop fitting and interior design construction, in clinics and laboratories plus workplaces such as in the foodstuffs processing industry.

### PRODUCT FEATURES



|                             |                                                                                                                       |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Product standard            | In accordance with EN 13894-1                                                                                         |
| Core material               | ClassicBoard P3<br>Melamine resin bonded particleboard type P3, suitable for non load-bearing purposes in damp areas. |
| Reaction to fire            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT conforming to 2003/593/EG)                                            |
| EC scope                    | EN 438-7:2005<br>HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)   |
| Formaldehyde emission class | E1 E05                                                                                                                |
| Antimicrobial effect        | Surface with antimicrobial effect in 24 h for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196 |
| Note                        | FSC certification or PEFC certification available on request.                                                         |

### FORMAT IN MM

| Length | Width | Thickness   |
|--------|-------|-------------|
| 4,100  | 1,300 | 17.6   20.6 |





## Duopal Element XTreme plus MDF plus



HPL bonded board consisting of a medium-density fibreboard (MDF) with uniform structure, surfaced on both sides with Duopal HPL XTreme plus, an attractive supermatt surface material with an anti-fingerprint effect, which is ideal for horizontal, heavily used surfaces.

### AREAS OF APPLICATION



Decorative, sturdy elements for furniture and interior design where a uniform core material with very high edge quality – for profiling and lacquering – is required: e. g. in restaurants and shop fitting and for office and interior furniture.

### PRODUCT FEATURES



Easy care



Anti-fingerprint



Antimicrobial



Food harmless



High scratch resistance

|                                    |                                                                                                                       |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>Product standard</b>            | In accordance with EN 13894-1                                                                                         |
| <b>Core material</b>               | StyleBoard MDF plus<br>Medium-density fibreboard (MDF), with a uniform structure.                                     |
| <b>Reaction to fire</b>            | Normally flammable<br>D-s2,d0 (EN 13501-1, CWFT conforming to 2003/593/EG)                                            |
| <b>Formaldehyde emission class</b> | E1 E05<br>TSCA Title VI                                                                                               |
| <b>Antimicrobial effect</b>        | Surface with antimicrobial effect in 24 h for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196 |
| <b>Note</b>                        | FSC certification or PEFC certification available on request.                                                         |

### FORMAT IN MM

| Length | Width | Thickness   |
|--------|-------|-------------|
| 4,100  | 1,300 | 17.6   20.6 |





WORKTOPS




Duropal Worktop XTreme plus P2,  
square edged profile




Worktop consisting of a particleboard type P2 conforming to EN 312, decor side surfaced with Duropal HPL XTreme plus, underside with water-repellent backing. The longitudinal edges of the worktop are machined. It is also available as a variant with a protective edge on one longitudinal side. Duropal HPL XTreme plus is an attractive supermatt surface material with an anti-fingerprint effect, which is ideal for horizontal, heavily-used surfaces.

AREAS OF APPLICATION



Duropal Worktops can be used wherever very high demands are made on surface resistance and durability. Thanks to their hygienic advantages, the classic areas of application are in modern kitchens and bathrooms, canteens and restaurants as well as doctors’ surgeries, in laboratories and shop fitting, but also for industrial and commercial workplaces.

PRODUCT FEATURES



|                             |                                                                                                                                                                                               |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product standard            | In accordance with EN 13894-1                                                                                                                                                                 |
| Core material               | ClassicBoard P2<br>Urea resin-bonded particleboard, type P2 conforming to EN 312, suitable for non load-bearing purposes in dry areas.                                                        |
| Formaldehyde emission class | E1 E05<br>TSCA Title VI                                                                                                                                                                       |
| Antimicrobial effect        | Surface with antimicrobial effect in 24 h for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196                                                                         |
| Note                        | You can find comprehensive accessories for our worktop range at <a href="http://www.pfleiderer.com">www.pfleiderer.com</a> .<br>FSC certification or PEFC certification available on request. |

| FORMAT IN MM |                   |           | DESIGN OF       |           |
|--------------|-------------------|-----------|-----------------|-----------|
| Length       | Width             | Thickness | front edge      | rear edge |
| 4,100        | 600   900   1,200 | 39        | protective edge | milled    |
| 4,100        | 600   900   1,200 | 39        | milled          | milled    |
| 5,300        | 600   900   1,200 | 39        | protective edge | milled    |
| 5,300        | 600   900   1,200 | 39        | milled          | milled    |



# HIGHLIGHTS IN MATT NATURALLY SUSTAINABLE

Those who rely on wood as a raw material rightly expect an environmentally conscious “green” material. At Pfleiderer we want to do full justice, to this to commodity, therefore been offering an extensive range of low-emission and environmentally friendly products for many years. Sustainability – in addition to ecological, social and economic aspects – as well as the careful use of natural resources are permanent pillars of our corporate philosophy. Consistent circular economy and wood recycling at the highest technological level as well as independent evaluation of our procurement, production and logistics processes ensure that we optimally harmonise qualitative our ecological requirements ensuring that we offer our customers the best possible service, manufacturing and logistics processes as well as a corporate culture of accountability. We ensure that you can use our products with a clear conscience and recommend them to your customers.

Pfleiderer meets the challenge with traditional entrepreneurial care, to produce engineered wood of the highest quality. With an integrated management system for quality, environment, energy and safety, a value-based values-based corporate culture and independent certification along the entire along the entire value chain. With environmental management systems that certified in accordance with ISO EN 14001 and ISO 50001, certifications in accordance with FSC® (licence code: FSC® C011773) and PEFC (licence code: PEFC/04-32-0828) as well as As a member of the Wood-Based Panels Quality Association, we place great value transparency for our customers and partners.

MADE IN GERMANY



Get to know our sustainability strategy in more detail:  
[pfleiderer.com/sustainability](https://pfleiderer.com/sustainability)

MAKE  
YOUR  
VISIONS  
WORK.  
NATURALLY  
SUSTAINABLE



Order samples online at any time:  
**[samples.pfleiderer.com](https://samples.pfleiderer.com)**

© Copyright 2025 Pfleiderer Deutschland GmbH.

This information is issued with great care. We do not however accept any responsibility for the accuracy, completeness and timeliness.

There may be slight colour differences between the printed brochure image and the actual design.

Due to the continuous development and modification of our products, possible changes to the relevant standards, laws and regulations, our technical data sheets and product documents expressly do not represent a legally binding guarantee of the properties specified therein. In particular, no suitability for a specific purpose can be derived from this information. It is therefore the personal responsibility of the individual user to check the processing and suitability of the products described in this document for the intended use and to take into account the legal framework and the current state of the art. Furthermore, we expressly refer to the validity of our general terms and conditions.

You can find our general terms and conditions on our webpage: **[www.pfleiderer.com](https://www.pfleiderer.com)**



MADE IN GERMANY

**Good to know: the Pfleiderer quality promise.**

Pfleiderer wood-based panels stand for quality without compromise. We use sustainable raw materials and state-of-the-art production processes and we are fully committed to our site in Germany. For more information, visit **[quality.pfleiderer.com](https://quality.pfleiderer.com)**.

**Pfleiderer UK Limited** · Greenway House · Larkwood Way · Tytherington Business Park · Macclesfield · Cheshire SK10 2XR · England  
Tel.: +44 (0) 16 25 660 410 · [info-uk@pfleiderer.com](mailto:info-uk@pfleiderer.com) · [www.pfleiderer.com](https://www.pfleiderer.com)

**Pfleiderer Deutschland GmbH** · Ingolstädter Straße 51 · 92318 Neumarkt · Germany  
Tel.: +49 (0) 91 81 / 28 480 · Fax: +49 (0) 91 81 / 28 482 · [info@pfleiderer.com](mailto:info@pfleiderer.com) · [www.pfleiderer.com](https://www.pfleiderer.com)