


WIPE AND GO: SIMPLY CLEAN

NEW: DUROPAL HPL XTREME PLUS
SUPERMATT AND UNIQUE EASY
CARE



MADE IN GERMANY

MAKE
YOUR
VISIONS
WORK.
NATURALLY
SUSTAINABLE



**XTREME PLUS:
THE MATT SURFACE WITH ADDED VALUE 4**

Easier to clean	6
More resilient	10
More versatile	14

PRODUCT OVERVIEW 18

PRODUCT INFORMATION

Duopal HPL XTreme plus	20
Duopal Element XTreme plus P2	22
Duopal Element XTreme plus P3	24
Duopal Element XTreme plus MDF plus	26
Duopal Worktop XTreme plus P2, square edged profile	28

NATURALLY SUSTAINABLE 30

**DUROPAL HPL XTREME PLUS:
SO SUPERMATT SIMPLY STAYS BEAUTIFUL**

Now matt design concepts are coming into practice once and for all: The improved XTreme plus surface ensures that the fascinating supermatt finish is also uniquely easy to clean. This makes it the right choice for horizontal applications and also makes everyday soiling quick and easy to forget.

MORE VERSATILE

MORE RESILIENT

**EASIER
TO CLEAN**



EASIER TO CLEAN



CLEAN

FINALLY A MATT SURFACE, ON WHICH STAINS ARE NOT AN ISSUE

The new XTreme plus surface has been developed so that most stains can be easily removed. This ensures that matt design concepts in matt always present themselves as real eye-catchers, even in everyday life.

WIPE AND GO FOR EVERYDAY STAINS

What seems complicated with many other products is quite simple with Duropal HPL XTreme plus: most common everyday stains can be easily removed – using cleaning agents that can be found in every household. And the smart anti-fingerprint effect ensures that hand perspiration does not leave any permanent marks.

Simply wipe with a dry microfibre cloth wipe

JUICE

COFFEE

BEETROOT



Simply wipe with a dry microfibre cloth wipe

DISH OIL




Remove the butter with a microfibre cloth and then clean with a grease-dissolving all-purpose cleaner and a microfibre cloth clean again

BUTTER



Thanks to the anti-fingerprint effect, hand perspiration cleaning is not necessary

HAND WELDING



ORDER SAMPLE FREE OF CHARGE NOW!

Find out more about the fascinating, easy-care XTreme plus surface on our website!



MORE RESILIENT

SUPERMATT MEETS RESISTANT – FOR HIGHLIGHTS THAT LAST STAY BEAUTIFUL

XTreme plus is more scratch-resistant and hard-wearing than comparable matt surfaces. This makes it perfectly suited to maintaining the unique supermatt look and high quality feel even on horizontal, heavily used surfaces.

STYLISH AND UP TO THE CHALLENGES OF EVERYDAY LIFE

When things get hectic, furniture can be subject to heavy wear and tear. Then it's good to know that the matt XTreme plus surface sets new standards in terms of robustness. It is less sensitive to external influences than other matt surfaces and can generally withstand everyday wear and tear.



MORE VERSATILE

MATT THAT SIMPLY GOES WITH EVERY GOOD IDEA

With a total of 24 plain decors available in the stock programme, Duropal HPL XTreme plus always strikes the right note. The colour palette opens up a wide range of design options to showcase the fascinating matt look on furniture and kitchen surfaces in any desired style.

U11027
XPSM
Icy White

U11026
XPSM
Crystal White

U11102
XPSM
Chalk

U12188
XPSM
Light Grey

U12115
XPSM
Platinum Grey

U12290
XPSM
Anthracite
Grey

U12044
XPSM
Dolphin Grey

U12168
XPSM
Cashmere

U16001
XPSM
Sand Greige

U12986
XPSM
Grey

U12233
XPSM
Metallic Black

U12000
XPSM
Volcanic Black

U19024
XPSM
Reed Green

U19027
XPSM
Herb

U18501
XPSM
Fjord

U16068
XPSM
Hazel

U12257
XPSM
Graphite

U16058
XPSM
Be rooted!

U18042
XPSM
Blue Shadow

U18043
XPSM
Poseidon

U18004
XPSM
Dark Blue

U18074
XPSM
Atlantic

U19008
XPSM
Labrador

U18006
XPSM
Skagerrak

SIMPLY SET THE TONE AND COMBINE CONVINCINGLY

The Duropal HPL XTreme plus colour palette picks up on current interior trends and realises them consistently and with strong combinations. The elegant matt appearance gives the individual decors an almost tangible, spatial depth that invites you to experience the surface haptically.

PRODUCTS

For stylish, cross-trade concepts, XTreme plus is available in a broad product portfolio for a wide range of functional requirements in kitchen and furniture construction and interior design. It includes HPL, composite elements on P2 and P3 substrates, composite elements on MDF substrates and the Duropol HPL Worktop XTreme plus P2, square edged.





Duropol HPL XTreme plus



Decorative high-pressure laminate in standard quality in accordance with EN 438-3:HGS/VGS, with robust lacquered surface and sanded reverse. Duropol HPL XTreme plus is an attractive supermatt surface material with an anti-fingerprint effect, which is ideal for horizontal, heavily-used surfaces.

AREAS OF APPLICATION



Furniture and interior fitting



Doors

Attractive surface material, appropriate for surface and edge applications providing the high-performance features of the well-known Duropol HPL products. Duropol HPL XTreme plus is suitable for vertical applications as well as for horizontal, heavily-used contact surfaces.

PRODUCT FEATURES



Particularly low emission



Easy care



Anti-fingerprint



Antimicrobial



Food harmless



High scratch resistance

Product standard

In accordance with EN 438-3

Reaction to fire

Normally flammable
Euroclass D-s2,d0 or worse in connection with normally and easily inflammable core boards. (EN 13501-1, CWFT conforming to 2003/593/EG)

Formaldehyde emission class

E1 E05

Antimicrobial effect

Surface with antimicrobial effect in 24 h for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196

Density

Min. 1,350 kg/m³ (EN ISO 1183-1)

Note

FSC certification or PEFC certification available on request.

FORMAT IN MM

Length	Width	Thickness
2,050–5,300	1,300	0.8
2,150	915	0.8
2,150	950	0.8
2,150	1,050	0.8
2,150	1,300	0.8
2,350	950	0.8
2,350	1,300	0.8
3,050	1,300	0.8
4,100	1,300	0.8
5,300	1,300	0.8



The mark of responsible forestry



PEFC04-52-0028



www.blauer-engel.de/1276





Duopal Element XTreme plus P2



HPL bonded board consisting of a particleboard type P2 conforming to EN 312, surfaced on both sides with Duopal HPL XTreme plus, an attractive supermatt surface material with an anti-fingerprint effect, which is ideal for horizontal, heavily used surfaces.

AREAS OF APPLICATION



Furniture and interior fitting

Furniture production and interior design wherever high demands are made on quality and durability: For kitchen and interior design furniture, in shop fitting and partition wall construction, for interior fitting of banks, offices, schools, clinics, laboratories, retail buildings, in ship-building and motor vehicle construction.

PRODUCT FEATURES



Particularly low emission



Easy care



Anti-fingerprint



Antimicrobial



Food harmless



High scratch resistance

Product standard

In accordance with EN 13894-2

Core material

ClassicBoard P2

Urea resin-bonded particleboard, type P2 conforming to EN 312, suitable for non load-bearing purposes in dry areas.

Reaction to fire

Normally flammable

D-s2,d0 (EN 13501-1, CWFT conforming to 2003/593/EG): 3,050 x 1,300 x 19 mm, 4,100 x 1,300 x 16-25 mm

EC scope

EN 438-7:2005

HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)

Formaldehyde emission class

E1 E05

TSCA Title VI

Antimicrobial effect

Surface with antimicrobial effect in 24 h for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196

Note

FSC certification or PEFC certification available on request.

FORMAT IN MM

Length	Width	Thickness
3,050	1,300	19
4,100	1,300	9.6 16 17.6 19 20.6 25 29.6 39.6



www.bauer-engel.de/uz76



Duopal Element XTreme plus P3



HPL bonded board consisting of a particleboard type P3 for damp areas, surfaced on both sides with Duopal HPL XTreme plus, an attractive super-matt surface material with an anti-fingerprint effect, which is ideal for horizontal, heavily used surfaces.

AREAS OF APPLICATION



Ideal for surfaces in furniture production and interior fitting where exceptional sturdiness and moisture resistance is required: For kitchen and bathroom furniture, elements in sanitary areas, in shop fitting and interior design construction, in clinics and laboratories plus workplaces such as in the foodstuffs processing industry.

PRODUCT FEATURES



Product standard	In accordance with EN 13894-2
Core material	ClassicBoard P3 Melamine resin bonded particleboard type P3, suitable for non load-bearing purposes in damp areas.
Reaction to fire	Normally flammable D-s2,d0 (EN 13501-1, CWFT conforming to 2003/593/EG)
EC scope	EN 438-7:2005 HPL composite panel intended for internal wall and ceiling finishes (including suspended ceilings)
Formaldehyde emission class	E1 E05
Antimicrobial effect	Surface with antimicrobial effect in 24 h for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196
Note	FSC certification or PEFC certification available on request.

FORMAT IN MM

Length	Width	Thickness
4,100	1,300	17.6 20.6



www.bauer-engel.de/uz76



Duropal Element XTreme plus MDF plus



HPL bonded board consisting of a medium-density fibreboard (MDF) with uniform structure, surfaced on both sides with Duropal HPL XTreme plus, an attractive supermatt surface material with an anti-fingerprint effect, which is ideal for horizontal, heavily used surfaces.

AREAS OF APPLICATION



Furniture and interior fitting

Decorative, sturdy elements for furniture and interior design where a uniform core material with very high edge quality – for profiling and lacquering – is required: e. g. in restaurants and shop fitting and for office and interior furniture.

PRODUCT FEATURES



Easy care



Anti-fingerprint



Antimicrobial



Food harmless



High scratch resistance

Product standard

In accordance with EN 13894-2

Core material

StyleBoard MDF plus
Medium-density fibreboard (MDF), with a uniform structure.

Reaction to fire

Normally flammable
D-s2,d0 (EN 13501-1, CWFT conforming to 2003/593/EG)

Formaldehyde emission class

E1 E05
TSCA Title VI

Antimicrobial effect

Surface with antimicrobial effect in 24 h for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196

Note

FSC certification or PEFC certification available on request.

FORMAT IN MM

Length	Width	Thickness
4,100	1,300	17.6 20.6





Duropal Worktop XTreme plus P2, square edged profile



Worktop consisting of a particleboard type P2 conforming to EN 312, decor side surfaced with Duropal HPL XTreme plus, underside with moisture-resistant backing. The longitudinal edges of the worktop are machined. It is also available as a variant with a protective edge on one longitudinal side. Duropal HPL XTreme plus is an attractive supermatt surface material with an anti-fingerprint effect, which is ideal for horizontal, heavily-used surfaces.

AREAS OF APPLICATION



Furniture and interior fitting

Duropal Worktops can be used wherever very high demands are made on surface resistance and durability. Thanks to their hygienic advantages, the classic areas of application are in modern kitchens and bathrooms, canteens and restaurants as well as doctors' surgeries, in laboratories and shop fitting, but also for industrial and commercial workplaces.

PRODUCT FEATURES



Particularly low emission



Easy care



Anti-fingerprint



Antimicrobial



Food harmless



High scratch resistance

Product standard

In accordance with EN 13894-2

Core material

ClassicBoard P2
Urea resin-bonded particleboard, type P2 conforming to EN 312, suitable for non load-bearing purposes in dry areas.

Formaldehyde emission class

E1 E05
TSCA Title VI

Antimicrobial effect

Surface with antimicrobial effect in 24 h for interior fit-out and finishes – Test Methodology JIS Z 2801 / ISO 22196

Note

You can find comprehensive accessories for our worktop range at www.pfleiderer.com.
FSC certification or PEFC certification available on request.

FORMAT IN MM

Length	Width	Thickness	DESIGN OF	
			front edge	rear edge
4,100	600 900 1,200	39	protective edge	milled
4,100	600 900 1,200	39	milled	milled
5,300	600 900 1,200	39	protective edge	milled
5,300	600 900 1,200	39	milled	milled



www.blauer-enge.de/uz76

HIGHLIGHTS IN MATT NATURALLY SUSTAINABLE

Those who rely on wood as a raw material rightly expect an environmentally conscious “green” material. At Pfleiderer we want to do full justice, to this to commodity, therefore been offering an extensive range of low-emission and environmentally friendly products for many years. Sustainability – in addition to ecological, social and economic aspects – as well as the careful use of natural resources are permanent pillars of our corporate philosophy. Consistent circular economy and wood recycling at the highest technological level as well as independent evaluation of our procurement, production and logistics processes ensure that we optimally harmonise qualitative our ecological requirements ensuring that we offer our customers the best possible service, manufacturing and logistics processes as well as a corporate culture of accountability. We ensure that you can use our products with a clear conscience and recommend them to your customers.

Pfleiderer meets the challenge with traditional entrepreneurial care, to produce engineered wood of the highest quality. With an integrated management system for quality, environment, energy and safety, a value-based values-based corporate culture and independent certification along the entire along the entire value chain. With environmental management systems that certified in accordance with ISO EN 14001 and ISO 50001, certifications in accordance with FSC® (licence code: FSC® C011773) and PEFC (licence code: PEFC/04-32-0828) as well as As a member of the Wood-Based Panels Quality Association, we place great value transparency for our customers and partners.



MADE IN GERMANY



Get to know our sustainability strategy in more detail:
pfleiderer.com/sustainability

MAKE
YOUR
VISIONS
WORK.
NATURALLY
SUSTAINABLE



Order samples online at any time:
samples.pfleiderer.com

© Copyright 2026 Pfleiderer Deutschland GmbH.

This information is issued with great care. We do not however accept any responsibility for the accuracy, completeness and timeliness. There may be slight colour differences between the printed brochure image and the actual design.

Due to the continuous development and modification of our products, possible changes to the relevant standards, laws and regulations, our technical data sheets and product documents expressly do not represent a legally binding guarantee of the properties specified therein. In particular, no suitability for a specific purpose can be derived from this information. It is therefore the personal responsibility of the individual user to check the processing and suitability of the products described in this document for the intended use and to take into account the legal framework and the current state of the art. Furthermore, we expressly refer to the validity of our general terms and conditions.

You can find our general terms and conditions on our webpage: www.pfleiderer.com



MADE IN GERMANY

Good to know: the Pfleiderer quality promise.

Pfleiderer wood-based panels stand for quality without compromise. We use sustainable raw materials and state-of-the-art production processes and we are fully committed to our site in Germany. For more information, visit quality.pfleiderer.com.

Pfleiderer UK Limited · Greenway House · Larkwood Way · Tytherington Business Park · Macclesfield · Cheshire SK10 2XR · England
Tel.: +44 (0) 16 25 660 410 · info-uk@pfleiderer.com · www.pfleiderer.com

Pfleiderer Deutschland GmbH · Ingolstädter Straße 51 · 92318 Neumarkt · Germany
Tel.: +49 (0) 91 81 / 28 480 · Fax: +49 (0) 91 81 / 28 482 · info@pfleiderer.com · www.pfleiderer.com